

Standards of Public Land Health

Evaluation of 63017 BUCK DRAW Allotment

[03/03/2010]

The Roswell Field Office conducted rangeland health assessments at 4 study sites within 63017 BUCK DRAW. The assessments looked at the Soil/Site Stability, Hydrologic Function and Biotic Integrity indicators within the vicinity of each study site. Existing monitoring data was incorporated into and in support of the field assessment. The summary of each assessment is attached and shown in the following table.

Study Area or Assessment Area	UPLAND			BIOTIC			RIPARIAN		
	Meets	Monitor an Indicator	Does Not Meet	Meets	Monitor an Indicator	Does Not Meet	Meets	Monitor an Indicator	Does Not Meet
63017-#1-E031	X			X			N/A		
63017-#5-E035	X			X			N/A		
63017-#6-E036	X			X			N/A		
63017-#7-E037	X			X			N/A		

Twenty-two (22) indicators for Rangeland Health were evaluated for public land on the Buck Draw allotment, 63017. Ten of these assessed soil site stability, 11 hydrologic functions and 13 assessed biotic integrity. These qualitative assessments in conjunction with quantitative information gathered from previous data collected at the trend study plot location within the allotment was utilized to make rangeland health determinations. Quantitative evaluations are performed by the Roswell Field Office interdisciplinary teams, which include some or all of the following: ground and vegetative cover and composition, production, frequency and ecological condition. The collections which were initiated in the late 1970's/early 1980's are scheduled and conducted approximately every 5 years. This allotment is in the "M" (Maintain) category.

This allotment contains 6,717 acres of public land. The studies are located on three Shallow CP-3 ecological sites and a Loamy CP-3 ecological site. All of the indicators were rated as "None to Slight" or "Slight to Moderate" degree of departure from the ecological site description. There are no riparian areas on the public land in this allotment.

Recommendations: With the all of the indicators falling in the "None to Slight" or "Slight to Moderate" category, this allotment is rated as "Meeting" the standard for Rangeland Health. Continue the rangeland monitoring studies to insure proper stocking rates are maintained and that the perennial grass cover and good plant composition remains.

RFOs Upland and Biotic Standard Assessment Summary Worksheet						
SITE 63017-#1-E031						
Legal Land Desc	NESE 21 0020S 0180E Meridian 23		Acreage		1695	
Ecosite	070CY113NM SHALLOW CP-3		Photo Taken		Y	
Watershed	13060005040 FIFTEEN MILE					
Observers	ARNOLD & ORTEGA		Observation Date		03/03/2010	
County Soil Survey	NM632 LINCOLN		Soil Var/Taxad			
Soil Map Unit	013		Soil Taxon Name		DEAMA	
Texture Class	NM632 L		Soil Phase		DEAMA- PASTURA	
Texture Modifier	NM632 VERY COBBLY LOAM					
Observed Avg Annual Precipitation			Observed Avg Growing Season Precipitation			
NOAA Annual Precipitation			NOAA Growing Season Precipitation			
NOAA Avg Annual Precipitation			NOAA Avg Growing Season Precipitation			
Disturbances and Animal Use:						
Part 2. Attributes and Indicators						
		Departure from Ecological Site Description/Ecological Reference Areas				
Attribute	Indicators	Extreme	Moderate to Extreme	Moderate	Slight to Moderate	None to Slight
S H	Rills					X
Comments:						
S H	Water Flow Patterns				X	
Comments:						
S H	Pedestals and/or Terracettes					X
Comments:						
S H	Bare Ground				X	

Comments:						
S H	Gullies					X
Comments:						
S	Wind-scoured, Blowouts, and/or Deposition Areas					X
Comments:						
H	Litter Movement				X	
Comments:						
S H B	Soil Surface Resistance to Erosion					X
Comments:						
S H B	Soil Surface Loss or Degradation				X	
Comments:						
H	Plant Community Composition and Distribution Relative to Infiltration and Runoff				X	
Comments:						
S H B	Compaction Layer					X
Comments:						
B	Functional/Structural Groups				X	
Comments:	Scattered yucca, bear grass and cholla					
B	Plant Mortality/Decadence					X
Comments:						
H B	Litter Amount					X
Comments:						
B	Annual Production				X	
Comments:						
B	Invasive Plants				X	
Comments:						
B	Reproductive Capability of Perennial Plants					X
Comments:						
S	Physical/Chemical/Biological Crusts					X
Comments:						
B	Wildlife Habitat				X	

Comments:						
B	Wildlife Populations				X	
Comments:						
B	Special Status Species Habitat					
Comments:	Not applicable					
B	Special Status Species Populations					
Comments:	Not applicable.					

Part 3. Summary

A. Indicator Summary - Each of the indicators are associated with one or more of the attributes below. An indicator is placed in a category (columns) above and summed for each of the Standard Attributes.

Standard Attribute		Extreme	Moderate to Extreme	Moderate	Slight to Moderate	None to Slight
S	Soil	0	0	0	3	7
H	Hydrologic	0	0	0	5	6
B	Biotic	0	0	0	6	5

B. Attribute Summary. In this table, the Extreme and Extreme to Moderate columns in the table above are merged for the *Does not Meet* column, Moderate becomes *May Need More Info*, and Slight to Moderate and None to Slight merge to form the *Meets* columns. Values from the table are summarized below. Space is provided for rationale of the determination. This space should most certainly be used when the determination by the ID team conflicts with the summarized values. Provide the sources of information that lead to the determination. X out the appropriate box for each attribute to denote final agreed upon determination by the ID team.

Attribute	Rationale	Does Not Meet	May Need More Info	Meets
Soil		0	0	10
Hydrologic		0	0	11
Biotic		0	0	11

Site Notes:

RFOs Upland and Biotic Standard Assessment Summary Worksheet

SITE 63017-#5-E035

Legal Land Desc	SWNW 26 0020S 0180E Meridian 23	Acreage	1005
Ecosite	070CY113NM SHALLOW CP-3	Photo Taken	Y
Watershed	13060005040 FIFTEEN MILE		
Observers	ARNOLD & ORTEGA	Observation Date	03/03/2010
County Soil Survey	NM632 LINCOLN	Soil Var/Taxad	
Soil Map Unit	013	Soil Taxon Name	DEAMA
Texture Class	NM632 L	Soil Phase	DEAMA- PASTURA
Texture Modifier	NM632 VERY COBBLY LOAM		
Observed Avg Annual Precipitation		Observed Avg Growing Season Precipitation	
NOAA Annual Precipitation		NOAA Growing Season Precipitation	
NOAA Avg Annual Precipitation		NOAA Avg Growing Season Precipitation	
Disturbances and Animal Use:			

Part 2. Attributes and Indicators

		Departure from Ecological Site Description/Ecological Reference Areas				
Attribute	Indicators	Extreme	Moderate to Extreme	Moderate	Slight to Moderate	None to Slight
S H	Rills					X
Comments:						
S H	Water Flow Patterns				X	

Comments:	Short and stable					
S H	Pedestals and/or Terracettes					X
Comments:						
S H	Bare Ground				X	
Comments:						
S H	Gullies					X
Comments:						
S	Wind-scoured, Blowouts, and/or Deposition Areas					X
Comments:						
H	Litter Movement					X
Comments:						
S H B	Soil Surface Resistance to Erosion				X	
Comments:						
S H B	Soil Surface Loss or Degradation				X	
Comments:						
H	Plant Community Composition and Distribution Relative to Infiltration and Runoff				X	
Comments:	Scattered bear grass and cholla					
S H B	Compaction Layer					X
Comments:						
B	Functional/Structural Groups				X	
Comments:						
B	Plant Mortality/Decadence					X
Comments:						
H B	Litter Amount				X	
Comments:						
B	Annual Production				X	
Comments:						
B	Invasive Plants				X	
Comments:						
B	Reproductive Capability of Perennial Plants					X
Comments:						

S	Physical/Chemical/Biological Crusts				X	
Comments:						
B	Wildlife Habitat				X	
Comments:						
B	Wildlife Populations				X	
Comments:						
B	Special Status Species Habitat					
Comments:	Not applicable					
B	Special Status Species Populations					
Comments:	Not applicable					

Part 3. Summary

A. Indicator Summary - Each of the indicators are associated with one or more of the attributes below. An indicator is placed in a category (columns) above and summed for each of the Standard Attributes.

Standard Attribute		Extreme	Moderate to Extreme	Moderate	Slight to Moderate	None to Slight
S	Soil	0	0	0	5	5
H	Hydrologic	0	0	0	6	5
B	Biotic	0	0	0	8	3

B. Attribute Summary. In this table, the Extreme and Extreme to Moderate columns in the table above are merged for the *Does not Meet* column, Moderate becomes *May Need More Info*, and Slight to Moderate and None to Slight merge to form the *Meets* columns. Values from the table are summarized below. Space is provided for rationale of the determination. This space should most certainly be used when the determination by the ID team conflicts with the summarized values. Provide the sources of information that lead to the determination. X out the appropriate box for each attribute to denote final agreed upon determination by the ID team.

Attribute	Rationale	Does Not Meet	May Need More Info	Meets
Soil		0	0	10
Hydrologic		0	0	11
Biotic		0	0	11

Site Notes:

RFOs Upland and Biotic Standard Assessment Summary Worksheet

SITE 63017-#6-E036

Legal Land Desc	SWSE 35 0020S 0180E Meridian 23	Acreage	1972
Ecosite	070CY113NM SHALLOW CP-3	Photo Taken	Y
Watershed	13060005040 FIFTEEN MILE		
Observers	ORTEGA & ARNOLD	Observation Date	03/03/2010
County Soil Survey	NM632 LINCOLN	Soil Var/Taxad	
Soil Map Unit	013	Soil Taxon Name	DEAMA
Texture Class	NM632 L	Soil Phase	DEAMA- PASTURA
Texture Modifier	NM632 VERY COBBLY LOAM		
Observed Avg Annual Precipitation		Observed Avg Growing Season Precipitation	
NOAA Annual Precipitation		NOAA Growing Season Precipitation	
NOAA Avg Annual Precipitation		NOAA Avg Growing Season Precipitation	
Disturbances and Animal Use:			

Part 2. Attributes and Indicators

		Departure from Ecological Site Description/Ecological Reference Areas				
Attribute	Indicators	Extreme	Moderate to Extreme	Moderate	Slight to Moderate	None to Slight
S H	Rills					X
Comments:						

S H	Water Flow Patterns				X	
Comments:	Short and stable					
S H	Pedestals and/or Terracettes					X
Comments:						
S H	Bare Ground				X	
Comments:						
S H	Gullies					X
Comments:						
S	Wind-scoured, Blowouts, and/or Deposition Areas					X
Comments:						
H	Litter Movement					X
Comments:						
S H B	Soil Surface Resistance to Erosion				X	
Comments:						
S H B	Soil Surface Loss or Degradation				X	
Comments:						
H	Plant Community Composition and Distribution Relative to Infiltration and Runoff				X	
Comments:						
S H B	Compaction Layer					X
Comments:						
B	Functional/Structural Groups				X	
Comments:	Scattered bear grass and cholla					
B	Plant Mortality/Decadence					X
Comments:						
H B	Litter Amount				X	
Comments:						
B	Annual Production				X	
Comments:						
B	Invasive Plants				X	
Comments:	Scattered cholla					
B	Reproductive Capability of Perennial Plants					X

Comments:						
S	Physical/Chemical/Biological Crusts					X
Comments:						
B	Wildlife Habitat				X	
Comments:						
B	Wildlife Populations				X	
Comments:						
B	Special Status Species Habitat					
Comments:	Not applicable					
B	Special Status Species Populations					
Comments:	Not applicable					
Part 3. Summary						
A. Indicator Summary - Each of the indicators are associated with one or more of the attributes below. An indicator is placed in a category (columns) above and summed for each of the Standard Attributes.						
Standard Attribute		Extreme	Moderate to Extreme	Moderate	Slight to Moderate	None to Slight
S	Soil	0	0	0	4	6
H	Hydrologic	0	0	0	6	5
B	Biotic	0	0	0	8	3
B. Attribute Summary. In this table, the Extreme and Extreme to Moderate columns in the table above are merged for the <i>Does not Meet</i> column, Moderate becomes <i>May Need More Info</i> , and Slight to Moderate and None to Slight merge to form the <i>Meets</i> columns. Values from the table are summarized below. Space is provided for rationale of the determination. This space should most certainly be used when the determination by the ID team conflicts with the summarized values. Provide the sources of information that lead to the determination. X out the appropriate box for each attribute to denote final agreed upon determination by the ID team.						
Attribute	Rationale	Does Not Meet	May Need More Info	Meets		
Soil		0	0	10		
Hydrologic		0	0	11		
Biotic		0	0	11		
Site Notes:						

RFOs Upland and Biotic Standard Assessment Summary Worksheet

SITE 63017-#7-E037

Legal Land Desc	SENW 3 0030S 0180E Meridian 23	Acreage	2045
Ecosite	070CY109NM LOAMY CP-3	Photo Taken	Y
Watershed	13060005040 FIFTEEN MILE		
Observers	ORTEGA & ARNOLD	Observation Date	03/03/2010
County Soil Survey	NM632 LINCOLN	Soil Var/Taxad	
Soil Map Unit	009	Soil Taxon Name	DARVEY
Texture Class	NM632 L	Soil Phase	DARVEY- PASTURA
Texture Modifier	NM632 LOAM		
Observed Avg Annual Precipitation		Observed Avg Growing Season Precipitation	
NOAA Annual Precipitation		NOAA Growing Season Precipitation	
NOAA Avg Annual Precipitation		NOAA Avg Growing Season Precipitation	
Disturbances and Animal Use:			

Part 2. Attributes and Indicators

		Departure from Ecological Site Description/Ecological Reference Areas				
Attribute	Indicators	Extreme	Moderate to Extreme	Moderate	Slight to Moderate	None to Slight
S H	Rills					X
Comments:						
S H	Water Flow Patterns					X

Comments:						
S H	Pedestals and/or Terracettes					X
Comments:						
S H	Bare Ground					X
Comments:						
S H	Gullies					X
Comments:						
S	Wind-scoured, Blowouts, and/or Deposition Areas					X
Comments:						
H	Litter Movement					X
Comments:						
S H B	Soil Surface Resistance to Erosion					X
Comments:						
S H B	Soil Surface Loss or Degradation					X
Comments:						
H	Plant Community Composition and Distribution Relative to Infiltration and Runoff				X	
Comments:						
S H B	Compaction Layer					X
Comments:						
B	Functional/Structural Groups				X	
Comments:						
B	Plant Mortality/Decadence				X	
Comments:	Evidence of rodent caused death to yucca.					
H B	Litter Amount				X	
Comments:						
B	Annual Production				X	
Comments:						
B	Invasive Plants					X
Comments:	Scattered yucca and cholla					
B	Reproductive Capability of Perennial Plants					X
Comments:	Good seed source					

S	Physical/Chemical/Biological Crusts					X
Comments:						
B	Wildlife Habitat				X	
Comments:						
B	Wildlife Populations				X	
Comments:						
B	Special Status Species Habitat					
Comments:	Not applicable					
B	Special Status Species Populations					
Comments:	Not applicable					

Part 3. Summary

A. Indicator Summary - Each of the indicators are associated with one or more of the attributes below. An indicator is placed in a category (columns) above and summed for each of the Standard Attributes.

Standard Attribute		Extreme	Moderate to Extreme	Moderate	Slight to Moderate	None to Slight
S	Soil	0	0	0	0	10
H	Hydrologic	0	0	0	2	9
B	Biotic	0	0	0	6	5

B. Attribute Summary. In this table, the Extreme and Extreme to Moderate columns in the table above are merged for the *Does not Meet* column, Moderate becomes *May Need More Info*, and Slight to Moderate and None to Slight merge to form the *Meets* columns. Values from the table are summarized below. Space is provided for rationale of the determination. This space should most certainly be used when the determination by the ID team conflicts with the summarized values. Provide the sources of information that lead to the determination. X out the appropriate box for each attribute to denote final agreed upon determination by the ID team.

Attribute	Rationale	Does Not Meet	May Need More Info	Meets
Soil		0	0	10
Hydrologic		0	0	11
Biotic		0	0	11

Site Notes: This location and pasture look very good.

Determination of Public Land (Rangeland) Health for 63017 BUCK DRAW

The Record of Decision (ROD) for the New Mexico Standards for Public Land Health and Guidelines for Livestock Grazing Management (dated January 2001) adopted three Standards for Public Land Health. These are (1) Upland Sites Standard, (2) Biotic Communities, including Native, Threatened, Endangered and Special Status Species Standard and (3) Riparian Sites Standard.

The ROD also established a process for the BLM Field Offices for implementation. Through a public participation process, the Roswell Field Office developed and adopted indicators to use in conjunction with existing monitoring data to assess these standards.

Field assessment worksheets and other available data that evaluated the local indicators completed for this allotment. Based on these assessments, it is my determination that public land within the Buck Draw allotment, 63017 meets the (1) Upland Sites Standard and (2) Biotic Communities, including Native, Threatened, Endangered and Special Status Species Standard. There are no riparian areas on this allotment therefore this standard was not addressed.

/s/ J. Howard Parman
Acting Assistant Field Manager

03/18/2010
Date